





102







www.katia.com



FUNNY RAINBOW







FUNNY RAINBOW SHAWL

MEASUREMENTS: 29 7/8" (76 cm) long x 48" (122

cm) wide, approx. **MATERIALS**

FUNNY RAINBOW: 1 ball col. 106

Knitting needles: Size 6 (U.S.)/(4 mm)

Stitches

Garter st: work all stitches and all rows in knit st **Increase:** K1 and without releasing the st from the LH needle, insert the tip of the RH needle through the back of the same stitch and work another knit st

GAUGE

Using size 6 needles in *garter st*: 22 sts & 36 rows = 4x4''

INSTRUCTIONS

Cast on 3 sts. Work in *garter st, increasing* at the right side edge on all the rows in the following manner: 1 st in the first st of the right side row of the work and 1 st in the last st of the wrong side row of the work.

Work until there is enough yarn left to loosely bind (cast off) all the sts.



FUNNY RAINBOW WAISTCOAT

MATERIALS

FUNNY RAINBOW: 1 ball col. 105

Knitting needles: Sizes 3 & 4 (U.S.)/(3 & 3.5 mm)

Stitches

Garter st: work all stitches and all rows in knit st

Pattern st (see graph A)

GAUGE

Using size 4 needles in pattern st:

18 sts & 32 rows = 4x4''

BACK

Using size 3 needles cast on 120 sts.

Work in garter st.

When back measures 1 5/8" (4 cm) measuring from the start and with the wrong side of the work facing, decrease 16 sts evenly spaced across the row.

Total: 104 sts.

Change to size 4 needles and continue working with the following st distribution:

12 sts in garter st, 80 sts in pattern st following graph A, 12 sts in garter st.

When back measures 4 3/4" (12 cm) measuring from the start, continue decreasing at each edge (= 12 sts in from the edges) of every 10th row as follows: 1 st 4 times. Total: 96 sts.

Shoulders: When back measures 22" (56 cm) measuring from the start, bind (cast off) at each edge, at the beginning of every row as follows:

12 sts 1 time, 10 sts 1 time, 5 sts 2 times.

Neckline: At a distance of 1'' (2.5 cm) measuring from the start of the shoulder shaping, bind (cast off) the remaining 32 sts.

FRONT

Work the same as the back as far as the neckline.

Neckline: When front measures 19 5/8" (50 cm) measuring from the start, bind (cast off) the central 16 sts and continue working each side separately, binding (casting off) at the beginning of every right side row at the neckline edge as follows: 4 sts 1 time, 2 sts 1 time, 1 st 2 times.

Shoulder: At a distance of 2 3/8" (6 cm) measuring from the start of the neckline shaping, bind (cast off) at the left side edge at the beginning of every wrong side row as follows: 12 sts 1 time, 10 sts 1 time, 5 sts 2 times.

Finish the other side the same but reverse the shaping.

FINISHING (MAKING UP)


Fold each piece in half separately lengthwise, baste all around the edge and very carefully block (press). The shoulders are sewn using side seams (see basic instructions).


Sew one shoulder.

Collar: Using the size 3 needles pick up all the sts around the necklines, increasing or decreasing where necessary on the first row in order to obtain a total of 90 sts. Work 3 rows in garter st and bind (cast off) all the sts.

Sew the other shoulder.

Overlap the sides with the 12 sts of garter st at the front on top of the 12 sts of garter st at the back and sew the crossover and 1 5/8" (4 cm) of the height. There will be a side opening 20 1/2" (52 cm) long.









FUNNY RAINBOW SHRUG

MEASUREMENTS: 21 5/8" (55 cm) wide x 47 1/4" (120 cm) long, approx.

MATERIALS

FUNNY RAINBOW: 1 ball col. 100 Crochet hook: Size G6 (U.S.)/(4 mm)

Stitches

Chain st, double crochet: (see basic instructions in our magazines or www.katia.com)

Pattern st: see graph A.

GAUGE

Using size G6 crochet hook in pattern st: 3 motifs and 7 rows = 4x4"

INSTRUCTIONS

Note: The shrug is worked sideways.

Chain 87 sts and continue working in pattern st following graph A.

Total: 17 motifs.

Work until the end of the ball of yarn, cut the yarn and fasten off.

FINISHING (MAKING UP)

For assembly see graph B.

Place the garment with the longest part widthwise (the central arrow on the graph indicates the direction of the work), fold the corners following the measurements of the graph and sew the part indicated by the zig-zag line.

