

General information

The quantities of yarn are based on average requirements and are therefore approximate. It is essential to work to the stated tension and you should always knit a tension square before starting. If you have too many stitches to 10cm/4ins your tension is tight and you should change to a larger needle. If there are too few stitches, your tension is loose and you should change to a smaller needle.

We cannot accept responsibility for the finished product if any yarn other than the one specified is used.

Instructions given are for the first size, with larger sizes in round brackets. Where only one size is given this applies to all sizes. Work all directions in square brackets the number of times stated.

Washing and Pressing Instructions:

See ball band.

Standard Abbreviations

alt = alternate

beg = beginning

cont = continue

dec = decrease

foll = following

ast = garter stitch

inc = increase

k = knit

m1 = make one by picking up the loop lying between st just worked and next st and working into back of it

patt = pattern

p = purl

psso = pass slipped st over

rem = remaining

rep = repeat

skpo = slip 1, knit 1, pass slipped stitch over

sl = slip

st(s) = stitch(es)

st st = stocking stitch

tbl = through back of loop

tog = together

yf = yarn forward

yon = yarn over needle

yrn = yarn round needle

USA Glossary

Cast off = bind off

Moss Stitch = seed stitch

Tension = gauge

Stocking stitch = stockinette stitch

Yarn forward, yarn over needle, or yarn round needle = yarn over

Lattice and Cable Sweater in Iro

MEASUREMENTS				
To fit bust	86-91	97-102	107-112	cm
	34-36	38-40	42-44	in
Actual measurement	s			
Bust	116	126	136	cm
	451/2	491/2	531/2	in
Length to shoulder	66	68	68	cm
	26	263/4	263/4	in
Sleeve length	43	43	43	cm
	17	17	17	in

MATERIALS

1200(1300:1300)g of Noro Iro in shade 53. Pair each of 6mm(US 10) and 7½mm (US 11) knitting needles.

6mm(US 10) short circular knitting needle. 2 cable needles.

TENSION

19 sts and 16 rows to 10cm/4in square over cable and rib panels using 7½mm (US 11) needles.

25 sts of large lattice cable panel measure 13cm/5in wide.

ABBREVIATIONS

C3B = slip next st onto cable needle and hold at back of work, k2, then p1 from cable needle.

C3F = slip next 2 sts onto cable needle and hold at front of work, p1, then k2 from cable needle.

C4B = slip next 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle.

C4BP = work as C4B, but p2 from cable needle.

C4F = slip next 2 sts onto cable needle and hold at front of work, k2, then k2 from cable needle.

C4BF = work as C4F, but p2, then k2 from cable needle.

C5B = slip next 3 sts onto cable needle and hold at back of work, k2, return 3rd st on cable needle to left needle and hold cable needle to front, p1, then k2 from cable needle.

C5F = slip next 2 sts onto cable needle and hold at front of work, slip next st onto 2nd cable needle and hold at back of work, k2, then p1 from 2nd cable needle, then k2 from 1st cable needle.

m1p = lift strand between sts and p into back of it.

Also see page 4.

NOTE

When working with random dyed yarn, to avoid a sudden jump in colour when starting a new ball, start at a similar place in the colour shading.

Small lattice cable panel (worked over 17 sts)

1st row (right side) P2, k2, p2, C5F, p2, k2, p2.

2nd and every wrong side row K and p sts as they appear.

3rd row P2, [C3F, C3B, p1] twice, p1.

5th row P3, [C4B, p3] twice.

7th row P1, C4BP, C3F, p1, C3B, C4FP, p1.

9th row P1, k2, p3, C5F, p3, k2, p1. **11th row** P1, C4FP, C3B, p1, C3F, C4BP, p1.

13th row As 5th row.

15th row P2, [C3B, C3F, p1] twice, p1.

16th row As 2nd row.

These 16 rows form the patt and are repeated.

Rib and cable panel A (worked over 13 sts)

1st row (right side) K2, p2, C5B, p2, k2. **2nd, 4th, 6th and 8th rows** P2, k2, p2, k1, p2, k2, p2.

3rd, 5th and 7th rows K2, p2, k2, p1, k2, p2, k2.

These 8 rows form the patt and are repeated.

Rib and cable panel B (worked over 13 sts)

1st row (right side) K2, p2, C5F, p2, k2. **2nd, 4th, 6th and 8th rows** P2, k2, p2, k1, p2, k2, p2.

3rd, 5th and 7th rows K2, p2, k2, p1, k2, p2, k2.

These 8 rows form the patt and are repeated.

Large lattice cable panel (worked over 25 sts)

1st row (right side) [P2, k2] twice, p2, C5F, p2, [k2, p2] twice.

2nd and every wrong side row K and p sts as they appear.

3rd row P2, k2, p2, [C3F, C3B, p1] twice, p1, k2, p2.

5th row P2, C3F, p2, C4B, p3, C4B, p2, C3B, p2.

7th row P3, C3F, C3B, C3F, p1, C3B, C3F, C3B, p3.

9th row P4, C4F, p2, C5F, p2, C4F, p4. **11th row** P2, C4BP, C3F, C3B, p1, C3F, C3B, C4FP, p2.

13th row P2, k2, p3, [C4B, p3] twice, k2, p2.

15th row P2, C4FP, C3B, C3F, p1, C3B, C3F, C4BP, p2.

17th row As 9th row.

19th row P3, C3B, C3F, C3B, p1, C3F, C3B, C3F, p3.

21st row P2, C3B, p2, C4B, p3, C4B, p2, C3F, p2.

23rd row P2, k2, p2, C3B, C3F, p1, C3B, C3F, p2, k2, p2.

24th row As 2nd row.

These 24 rows form the patt and are repeated.

BACK

Using 6mm(US 10) needles, cast on 118 (126:134) sts.

1st row (right side) K2, [p2, k2] to end. 2nd row P2, [k2, p2] to end.

These 2 rows form the rib.

Rib 7 more rows.

Dec row (wrong side) Rib 22(26:30), k2tog, rib 14, k2tog, rib 18, k2tog, rib 18, k2tog, rib 14, k2tog, rib 22(26:30).

113(121:129) sts.
Change to 7½mm(US 11) needles.

1st row (right side) Rib 14(18:22), work 17 sts of 1st row of small lattice cable panel, 13 sts of 1st row of rib and cable panel A, 25 sts of 1st row of large lattice cable panel, 13 sts of 1st row of rib and cable panel B, 17 sts of small lattice cable panel, rib 14(18:22).

This row sets the position of cable panels with rib at each side.

Work 59 more rows, so ending with 12th rows of both small and large lattice cable panels.

Shape armholes

Cont in patt as set. Cast off 2 sts at beg of next 2 rows. Dec one st at each end of next 9 rows. 91(99:107) sts. ** Work 27(31:31) more rows, so ending with 2nd(6th:6th) row of large lattice cable panel.
Cast off.

FRONT

Work as given for Back to **. Work 15 more rows, so ending with 14th row of large lattice cable panel.

Shape neck

Next row (right side) Patt 35(39:43) sts, turn and work on these sts only for left side of neck.

[Cast off 2 sts at beg of next row and dec one st at end of foll row] 4 times. 23(27:31) sts.

Work 3(7:7) rows.

Cast off.

With right side facing, slip centre 21 sts onto a holder, rejoin yarn to rem 35(39:43) sts, patt to end.

[Dec one st at end of next row and cast off 2 sts at beg of foll row] 4 times. 23(27:31) sts

Work 3(7:7) rows. Cast off.

SLEEVES

Using 6mm(US 10) needles, cast on 46(54:54) sts.

Rib 9 rows as given for Back.

Dec row (wrong side) P2, [k2, p2] 0(1:1) time, k2tog, rib 18, k2tog, rib 18, k2tog, p2, [k2, p2] 0(1:1) time. 43(51:51) sts. Change to 7½mm(US 11) needles.

1st row (right side) Inc one st by purling into first st in row below, rib 0(4:4), C5B, p2, k2, work 25 sts of 1st row of large lattice cable panel, k2, p2, C5F, rib 0(4:4), inc one st by purling into last st in row below. 45(53:53) sts.

This row sets the position of rib and cable panel A, large lattice cable panel and rib and cable panel B. Working invisible incs as given and taking inc sts into rib and cable panels A and B, then into rib, cont in patt as set and inc one st at each end of every 4th row until there are 75(83:83) sts. Patt 1 row, so ending with 14th row of large lattice cable panel.

Shape top

Cast off 2 sts at beg of next 2 rows.

Dec one st at each end of next 10 rows, so ending with 2nd row of large lattice cable panel. 51(59:59) sts.

Cast off.

COLLAR

Join shoulder seams, matching sts.

With right side facing, using 6mm(US 10) circular needle, k up 50 sts across back neck and 20(24:24) sts down left front neck, at centre front work k2, p2, k2tog, skpo, p2tog, p1, k2tog, skpo, p2tog, p1, k2tog, k1 across 21 sts on holder then k up 20 sts up right front neck. 104(112:112) sts.

1st round [P2, k2] to end.
This round forms rib.
Rib until collar measures 25cm/9¾in.
Cast off in rib.

TO MAKE UP Do not press. Sew in sleeves. Join side and sleeve seams.

Debbie Bliss Noro Collection ©2001 All Rights Reserved



General information

The quantities of yarn are based on average requirements and are therefore approximate. It is essential to work to the stated tension and you should always knit a tension square before starting. If you have too many stitches to 10cm/4ins your tension is tight and you should change to a larger needle. If there are too few stitches, your tension is loose and you should change to a smaller needle.

We cannot accept responsibility for the finished product if any yarn other than the one specified is used.

Instructions given are for the first size, with larger sizes in round brackets. Where only one size is given this applies to all sizes. Work all directions in square brackets the number of times stated.

Washing and Pressing Instructions:

See ball band.

Standard Abbreviations

alt = alternate

beg = beginning

cont = continue

dec = decrease

foll = following

ast = garter stitch

inc = increase

k = knit

m1 = make one by picking up the loop lying between st just worked and next st and working into back of it

patt = pattern

p = purl

psso = pass slipped st over

rem = remaining

rep = repeat

skpo = slip 1, knit 1, pass slipped stitch over

sl = slip

st(s) = stitch(es)

st st = stocking stitch

tbl = through back of loop

tog = together

yf = yarn forward

yon = yarn over needle

yrn = yarn round needle

USA Glossary

Cast off = bind off

Moss Stitch = seed stitch

Tension = gauge

Stocking stitch = stockinette stitch

Yarn forward, yarn over needle, or yarn round needle = yarn over

Lattice and Cable Sweater in Cash Iroha

MEASUREMENTS				
To fit bust	81-86	86-91	91-97	cm
	32-34	34-36	36-38	in
Actual measurement	S			
Bust	83	89	95	cm
	323/4	35	371/2	in
Length to shoulder	45	46	46	cm
	173/4	18	18	in
Sleeve length	33	33	33	cm
	13	13	13	in

MATERIALS

500(550:600)g of Noro Cash Iroha in shade 61.

Pair each of 3¾mm(US 5) and 4½mm(US 7) knitting needles. 3¾mm(US 5) short circular knitting needle. 2 cable needles.

TENSION

27 sts and 26 rows to 10cm/4in square over cable and rib panels using 4½mm (US 7) needles.

25 sts of large lattice cable panel measure 9cm/3½in wide.

NOTE

This garment is worked from the same instructions as the sweater in Iro with slight variations to the number of rows worked for the Back, Front and Sleeves. Where the Iro instructions give needle size 6mm(US 10), use 3¾mm(US 5), where Iro instructions say change to 7½mm(US 11) needles, change to 4½mm(US 7) needles throughout.

BACK

Work as given for back of Iro sweater to **. Work 39(43:43) more rows, so ending with 14th(18th:18th) row of large lattice cable panel.
Cast off.

FRONT

Work as given for front of Iro sweater to ** Work 27 more rows, so ending with 2nd row of large lattice cable panel.

Shape neck

Work as given for Iro sweater.

SLEEVES

Using 3¾mm(US 5) needles, cast on 62(70:70) sts.

Rib 9 rows as given for Back.

Dec row (wrong side) P2, [k2, p2] 2(3:3) times, [k2tog, rib 18] twice, k2tog, [p2, k2] 2(3:3) times, p2. 59(67:67) sts.

Change to 4½mm(US 7) needles.

1st row (right side) Inc one st by purling into first st in row below, [k2, p2] 1(2:2) times, work 13 sts of 1st row of rib and cable panel A, work 25 sts of 1st row of large lattice cable panel, work 13 sts of 1st row of rib and cable panel B, [p2, k2] 1(2:2) times, inc one st by purling into last st in row below. 61(69:69) sts.

This row sets the position of the panels with rib at each side. Work invisible incs as given and taking inc sts into rib, cont in patt and inc 1 st at each end of every 4th row until there are 95(103:103) sts. Work 17 rows, so ending with 14th row of large lattice cable panel.

Shape top

Cast off 2 sts at beg of next 2 rows. Dec one st at each end of next 10 rows, so ending with 2nd row of large lattice cable panel. 71(79:79) sts. Cast off 2 sts at beg of next 12 rows, so ending with 14th row of large lattice cable panel. 47(55:55) sts. Cast off.

COLLAR

Matching sts, join shoulder seams. Using 33/4mm(US 5) circular needle, k up 50 sts across back neck and 20(24:24) sts down

left front neck, at centre front work k1, skpo, [p2toq] twice, k2toq, k1, p1, m1p, k1, skpo, [p2tog] twice, k2tog, k1 across 21 sts on holder, k up 20(24:24) sts up right front neck. 104(112:112) sts. Complete as for collar of Iro sweater.

TO MAKE UP Work as given for Iro sweater.

Debbie Bliss Noro Collection ©2001 All Rights Reserved