





 $Y_{973}$ 

Size			
To fit bust (in/cms)	32-34/81-86	34-36/86-91	36-38/91-96
Finished Measurements			
Width (in/cms) Length (in/cms) Sleeve Seam (in/cms)	42/106 26/66 15½/39	44/112 27/69 15½/39	46/117 28/71 15½/39
Materials			
US 10 (6mm) needles (x2) 5 Buttons Noro Kama shade #1 (grams/approx. skeins)	570/12	600/12	630/13

Tension

Measured over stocking stitch using US 10 needles 15sts x 21rs = 4in (10cm) square.

#### **TENSION**

**VERY IMPORTANT:** When a tension square, if too small use a larger needle, if too large use a smaller needle. It is essential to work to correct tension to achieve finished measurements stated.

### ABBREVIATIONS (not all abbreviations apply to this pattern)

 $\mathbf{K} = \mathrm{knit}$ . NR = next row.foll = following.  $\mathbf{P} = \text{purl}$ . st(s) = stitch(es).st.st. = stocking stitch (RSF knit. rs = rows.Rev.st.st. = reverse stocking stitch  $\mathbf{wk} = \mathbf{work}$ . ins = inches. (RSF purl, WSF knit).  $\mathbf{dec} = \mathbf{decrease(ing)}.$ beg = beginning. inc = increase(ing). alt = alternate. ch = chain. patt = pattern.rep = repeat.dc = double crochet. tog = together.tr = treble.RSF/WSF = right/wrong side facing. yf = yarn forward.rem = remaining. sl 1 = slip one stitch.

rem = remaining.

si 1 = slip one stitch.

cont = continue.

psso = pass slipped stitch over.

M1P = make one stitch purlwise thus: pick up horizontal loop lying between

last stitch worked and next stitch and purl into back of loop.

M1K = make one stitch thus: pick up horizontal loop lying between last stitch worked and next stitch and knit into back of loop.

 ${f T3F}=$  slip next 2sts onto a cable needle and hold at front of work, purl next st from left hand needle then K2sts from cable needle.

T3B = Slip next stitch onto a cable needle and hold at back of work, knit next 2sts from left hand needle then Purl stitch from cable needle.

**C6F** (**C6B**) = slip next 3sts onto a cable needle and hold at front (back) of work, knit next 3sts from left hand needle then K3sts from cable needle.

C4B = slip next 2sts onto a cable needle and hold at back of work, knit next 2sts from left hand needle then K2sts from cable needle.

### Instructions

CABLE PANEL (24sts x 20rs repeated)

Row 1: (RSF) P3, C6F, P6, C6B, P3.

Row 2: K all K sts and P all P sts to end.

Row 3: P3, K6, P6, K6, P3.

Row 4: AS row 2.

Row 5: As row 1.

Row 6: As row 2.

Row 7: As row 3.

Row 8: As row 2.

Row 9: P3, K3, C6F, C6B, K3, P3.

Row 10: As row 2.

Row 11: P3, K18, P3.

Row 12: As row 2.

Rep the last 2 rs once more.

Row 15: As row 9.

Row 16: K3, P6, K6, P6, K3,

Row 17: P3, K6, P6, K6, P3.

Row 18: As row 16.

Rep the last 2 rs once more. (20rs)

Rep these 20rs as required.

#### RACK

With US 10 needles cast on 79(83,87)sts and wk as follows:





Y\_973

## Instructions (cont.)



Row 1: (RSF) K1, \* P1, K1, rep from \* to end. Row 2: K all K sts and P all P sts to end. Rep the last 2 rs for a further 10rs.

Wk in st.st. as follows: Row 1: (RSF) Knit to end. Row 2: Purl to end.

Rep the last 2rs until back measures 16%(17,17%) ins from beg ending with a wrong side row.

#### SHAPE ARMHOLES RSF

Row 1: K1, M1K, knit to the last st, M1K, K1.

Beg with a purl row st.st. 7rs.

Rep the last 8rs 4 times more. 89(93,97)sts.

Wk 2rs more.

#### SHAPE SHOULDERS

Row 1: (RSF) Cast off 6(6,6)sts and knit to end. Row 2: Cast off 6(6,6)sts and purl to end.

Rep the last 2 rs twice more.

#### SHAPE BACK NECK

NR: Cast off 6(6,6)sts, knit until 12(13,14)sts on right hand needle, turn and put rem sts on a spare needle.

NR: P2tog and purl to end.

NR: Cast off 5(6,6)sts and knit to end.

NR: P2tog and purl to end.

Cast off rem 5(5,6)sts.

Return to the sts on the spare needle.

RSF rejoin yarn and cast off the center 17(19,21)sts. Cont on rem 18(19,20) sts as follows:

NR: Knit to end.

NR: Cast off 6(6,6)sts and purl to end.

NR: K2tog and knit to end.

NR: Cast off 5(6,6)sts and Purl to end.

NR: K2tog and knit to end.

Cast off rem 5(5,6)sts.

#### RIGHT FRONT

With US 10 needles cast on 39(41,43)sts and wk rib as given for back for 11rs. Row 12: P24(26,28)sts, [M1P, P2] 7 times, M1P, P1. 47(49,51)sts.

Wk cable patt as follows:

Row 1: (RSF) Wk row 1 cable patt for 24sts, K23(25,27)sts.

Row 2: P23(25,27)sts, wk row 2 cable patt for 24sts.

Working appropriate rs of cable patt, cont in patt as set until front measures same as back up to beg of armhole shaping and ending with a wrong side row.

#### SHAPE ARMHOLE & FRONT NECK RSF

Row 1: Patt 24sts, K2tog, patt to the last st, M1K, K1.

Row 2: Patt to end.

Row 3: Patt 24sts, K2tog, patt to end.

Row 4: Patt to end.

Rep the last 2 rs twice more.

Rep the last 8rs 3 times more. 36(38,40)sts rem.

Rep rs 1 to 4 once more. 34(36,38)sts rem.

2nd and 3rd sizes only

Rep rs three and four (1,2) times more. (35,36)sts rem.

#### ALL SIZES

Patt straight until front measures same as back up to beg of shoulder shaping

#### SHAPE SHOULDER

Row 1: (RSF) Patt to end.

Row 2: Cast off 6(6,6)sts and patt to end.

Rep the last 2 rs 3 times more.

Row 9: Patt to end.

Row 10: Cast off 5(6,6)sts and patt to end.

Row 11: Patt to end. Cast off rem 5(5,6)sts.

#### *LEFT FRONT*

With US 10 needles cast on 39(41,43)sts and wk rib as given for back for 11rs. Row 12: (WSF) P1, M1P, [P2, M1P] 7 times, P24(26,28)sts. 47(49,51)sts.

Wk cable patt as follows:

Row 1: (RSF) K23(25,27)sts, wk row 1 cable patt for 24sts.



Y\_973

## Instructions (cont.

Row 2: Wk row 2 cable patt for 24sts, P23(25,27)sts.

Working appropriate is of cable patt, cont in patt as set until front measures same as back up to beg of armhole shaping and ending with a wrong side row.

#### SHAPE ARMHOLE & FRONT NECK RSF

Row 1: K1, M1K, patt to the last 26sts, K2tog, patt 24sts.

Row 2: Patt to end.

Row 3: Patt to the last 26sts, K2tog, patt to end.

Row 4: Patt to end.

Rep the last 2rs twice more.

Rep the last 8rs 3 times more. 36(38,40)sts rem.

Rep rs 1 to 4 once more. 34(36,38)sts rem.

2nd and 3rd sizes only

Rep rs three and four (1,2) times more. (35,36)sts rem.

#### **ALL SIZES**

Patt straight until front measures same as back up to beg of shoulder shaping.

#### *SHAPE SHOULDER*

Row 1: (RSF) Cast off 6(6,6)sts and patt to end.

Row 2: Patt to end.

Rep the last 2 rs 3 times more.

Row 9: Cast off 5(6,6)sts and patt to end.





Row 10: Patt to end. Cast off rem 5(5,6)sts.

#### SLEEVES

With US 10 needles cast on 31(33,35)sts and wk rib as given for back inc 5sts evenly along the last row. 36(38,40)sts.

Wk in st.st. as given for back AT THE SAME TIME inc 1 st at each end of the 3rd row and then on every foll 6th row until 58(60,62)sts. Wk straight until sleeve measures  $15\frac{1}{2}$  ins from beg ending with a wrong side row. Cast off.

#### BUTTONBAND

Join shoulder seams.

With US 10 needles cast on 11sts and wk K1, P1 rib until band measures slightly stretched from hem on left front, up left front edge to shoulder, across back neck and down right front to beg of neck shaping. Sew band in place. Mark positions for 5 buttons on left front buttonband, the first 12rs up from hem, the last at beg of neck shaping and the remaining 3 spaced evenly

Then cont in rib making buttonholes to match markers as follows: Buttonhole row.

Rib 5sts, yf, wk2sts tog, rib 4sts.

Cont until band measures down to right front hem. Cast off.

#### **MAKEUP**

Sew on remainder of front band. Sew on buttons. Sew in sleeves by pinning cast off edge of sleeve to shoulder seam and then stitch sleeve to body working from shoulder down to underarm. Sew up side and sleeve seams.



All Knitting Fever publications are intended for personal use only. Knitting Fever, Inc. (KFI) does not guarantee the final result. Measurements, gauge, etc. are included as a guideline. If you have any questions about this project, please contact us at www.knittingfever.com. Copyright © 2013 Knitting Fever, Inc. Copy or duplication for resale is strictly prohibited.