



MISINA
SHORT-SLEEVED PULLOVER



MISINA

SHORT-SLEEVED PULLOVER

SIZE

Italian size 44 = US size 10 (approx. Medium).

MATERIALS

- 8 50g balls of Lana Gatto **MISINA** shade #12959 Teal.
- One pair size US 6 (4 mm) needles or size to obtain gauge.
- One pair size US 9 (5.5mm) needles or size to obtain gauge.
- Cable needle.
- Stitch-holders.
- Tapestry needle with rounded point.

STITCHES

USING KNITTING NEEDLES:

Tubular stitch (work on odd number of sts)

Row 1: k1, * wyif, slip 1 st purlwise, wyib, k1, rep from * to end.

Row 2: wyif, slip 1 st purlwise, * k1, wyif, slip 1 st purlwise, wyib, rep from * to end.

Rep rows 1-2 for Tubular st.

Stockinette stitch

Reverse Stockinette stitch

3x3 Rib (multiple of 6 sts plus 3)

Row 1: * k3, p3; rep from * to last 3 sts, k3.

Row 2: k the knit sts and p the purl sts.

Rep Row 2 for 3x3 Rib.

Large Cable (worked on 30 sts)

Row 1 (RS): p3, k 24, p3.

Row 2 and all even rows: k the knit sts and p the purl sts.

Row 3: p3, 12 right crossed sts (slip 6 sts to cable needle and hold to back of work, k 6 sts, k 6 sts from cable needle), 12 left crossed sts (slip 6 sts to cable needle and hold to front of work, k 6 sts, k 6 sts from cable needle), p3.

Rows 5, 7 and 9: rep Row 1.

Row 10: k the knit sts and p the purl sts.

Rep 1-10 rows.

USING TAPESTRY NEEDLE:

Darning stitch

GAUGE

16 sts and 21 rows to 4in/10cm over Stockinette st and Reverse Stockinette st using size US 9 (5.5mm) needles.

Large Cable (30 sts) measures 4³/₄in/12cm.

ABBREVIATIONS

beg	begin[ning]	rem	remain[ing]
cm	centimeters	rep	repeat
dec	decrease[ing]	RS	right side[s]
g	grams	st[s]	stitch[es]
in	inch[es]	tog	together
k	knit	wyib	with yarn in back
mm	millimeters	wyif	with yarn in front
p	purl		

BACK

Using smaller needles cast on 81 sts. Work rows in Tubular st and 6 rows in 3x3 Rib. Change to larger needles and work as follows: 15 sts in Stockinette st, 3 sts in Reverse Stockinette st, (9 sts in Stockinette st, 3 sts in Reverse Stockinette st) 4 times, 15 sts in Stockinette st.

When Back measures 16¹/₂in/42cm from beg, shape armholes. Bind off 3 sts at beg of next 2 rows, dec 2 sts each side every other RS row inside 4 sts from edge (work sssk at beg of row – slip 3 sts separately to right needle as if to knit, slip left needle into these 3 sts from left to right and knit them tog: 3 sts become 1 st – and work k3tog at end of row) twice. Then dec 1 st each side every 4th row inside 3 sts from edge (work ssk at beg of row – slip 2 sts separately to right needle as if to knit, slip left needle into these 2 sts from left to right and knit them tog: 2 sts become 1 st – and work k2tog at end of row) 7 times. **AT THE SAME TIME**, when armhole measures 3in/7,5cm, begin to work center 55 sts in Reverse Stockinette st. When armhole measures 7³/₄in/19.5cm, shape neck.

Next row (RS): work 16 sts, join a 2nd ball of yarn, bind off center 21 sts, work to end.

Working both sides at once, bind off 2 sts from each neck edge. When neck shaping measures 3¹/₄in/2cm, bind off rem 14 sts each shoulder.



MISINA

SHORT-SLEEVED PULLOVER

FRONT

Using smaller needles cast on 81 sts. Work rows in Tubular st and 6 rows in 3x3 Rib. Change to larger needles and work as follows: work first 15 sts in Stockinette st, work next 21 sts inc 9 sts evenly distributed –there are 30 sts for Large Cable–, work next 9 sts inc 3 sts evenly distributed –there are 12 sts for Stockinette st–, work next 21 sts inc 9 sts evenly distributed –there are 30 sts for Large Cable–, work last 15 sts in Stockinette st. There are 102 sts. When Front measures 16½in/42cm from beg, shape armholes. Bind off 3 sts at beg of next 2 rows, dec 2 sts each side every other RS row inside 4 sts from edge twice, then dec 1 st each side every 4th row inside 3 sts from edge 5 times. **AT THE SAME TIME**, when armhole measures 3in/7.5cm, dec 21 sts evenly distributed on next row and begin to work center 55 sts in Reverse Stockinette st. When armhole measures 6½in/16.5cm, shape neck.

Next row (RS): work 24 sts, join a 2nd ball of yarn, bind off center 17 sts, work to end. Working both sides at once, bind off 2 sts from each neck edge twice, dec 1 st every other row. When neck shaping measures 2in/5cm, bind off rem 14 sts each shoulder.

FINISHING

Sew right shoulder seam. Using larger needles, with RS facing pick up and k 80 sts all around Front and Back neck-edge. Work 13 rows in Reverse Stockinette st, (3 rows in Stockinette st, 7 rows in Reverse Stockinette st) twice, 3 rows in Stockinette st. On next row dec 5 sts evenly distributed and work 7 rows in Reverse Stockinette st. Cast off all sts. Sew left shoulder and collar seam (the collar will be turned in half). For Right Sleeve-Cap, using larger needles, with RS facing pick up and k63 all along Right armhole starting and ending 1in/3cm from bound-off sts. Work in Stockinette st, leaving 3 sts on stitch-holders at beg of next 16 sts (24 sts on each side). Using smaller needles, work over all sts 4 rows in 3x3 Rib and 4 rows in Tubular st. Bind off in Darning st with tapestry needle. For Left Sleeve-Cap, using larger needles, with RS facing pick up and k63 all along Left armhole and work as Right Sleeve-Cap.

Sew side seams 🐾

