



THE COLOR EVOLUTION



CABLE SWEATER

MATERIAL

3 balls of Poema Glitter by Laines du Nord in col. 601
Size US4/3.5 mm circular needles with 24"/40 cm cable and
size US6/4 mm with 32"/80 cm cable
Cable needle
Darning needle
Stitch marker
One stitch marker of different color to mark the beginning
of round
Pins
Round counter
Scissors
Tape measure

GAUGE

Panel with cables (= central panel): 40 sts. using size US6/4
mm needles = 5"/13 cm in wide, measured after blocking.

Open-work patterned net: 18 sts. using size US6/4 mm
needles = 4"/10 cm in wide, measured after blocking.

ABBREVIATIONS

RS = right side of work
WS = wrong side of work
SMb = stitch marker of the beginning of the round
SM = stitch marker
st.(s) = stitch(es)
r. = round(s)
skp = slip 1, work 1, pass slipped stitch over
col. = color
k = knit
decr. = decrease(ing)
yo = yarn over
yo2 = yarn over twice
tog. = together
rep. = repeat
p = purl
foll. = follow(ing)
inner incr. = inner incr.
d-incr. = double increase

SKILL LEVEL: Experienced

SIZES: S (M, L, XL)

STITCHES USED

Rib in round

1st round and next rounds: (k2, p2), rep. across the entire r.

Yarn over twice: yarn over twice on needle.

Increase to right: using right needle, lift the yarn between
two stitches and keep it on left needle with its left part
facing right side of work, then knit l through back loop.

Increase to left: using right needle, lift the yarn between two
stitches and keep it on left needle with its right part facing
right side of work, then knit l through front loop.

Inner increase: work same stitch twice, first time like usually
and then through back loop, at last drop it.

Double increase: knit same stitch, then knit it through back
loop and at last knit it again.

Decrease to the left: slip 1 k-wise, slip next stitch too. Move
both stitches onto left needle and then knit them together
through back loop.

Sk2p with central rib: slip 2 sts. together k-wise, k1, pass 2
slipped sts. over k1.

Cable (8 sts. crossed to the right): slip 4 sts. onto a cable
needle and let it hang in back of work, k4, knit 4 slipped sts.

Cable (8 sts. crossed to the left): slip 4 sts. onto a cable
needle and let it hang in front of work, k4, knit 4 slipped sts.

Graft stitch: for binding off using darning needle.

INSTRUCTIONS

FRONT AND BACK

Lower band

Using US4/3.5 mm points, 32"/80 cm cable and waste-yarn,
cast-on 224 (240, 256, 272) sts. and work in round, placing
SMb. Cut the yarn.

Note: across the pattern, move the SMb up-wards.

Using Poema yarn, knit 1 round (= round 0) and next 2 rounds
in tubular st. as foll.:

1st round: (k1, slip 1 p-wise) until the end of round.

2nd round: (slip 1 k-wise, p1) until the end of round.

3rd round: * k1, hang next st. in back of work, k1, purl
hanging st., p1 *, rep. from * to * until the end of round.

Cont. working 12 rounds rib 2/2, for band.

Body

Using US6/4 mm points, across next round, start working
panels in cable st. (= central panels) and parts in patterned
net st.

Beginning Round: move SMb, * p24 (32, 40, 48) for
patterned net, k8 for cable, p16 for patterned net, k40 for
central panel, p16 for patterned net, k8 for cable *, rep. from
* to * once more.

1st round: move SMb, * (k2tog, yo2, 1 decr. to the left) 6 (8,
10, 12) times, k8 for cable, (k2tog, yo2, 1 decr. to the left) 4
times, k40 for central panel, (k2tog, yo2, 1 decr. to the left) 4
times, k8 for cable *, rep. from * to * once more.

2nd round and even rounds: move SMb, * 24 (32, 40, 48) sts.
for patterned net, k8 for cable, p16 for patterned net, k40
for central panel, p16 for patterned net, k8 for cable *, rep.
from * to * once more. P1 and k1 in each yo2.

Rounds 3, 19, 35, 51, 67, 83 (91, 107): move SMb, * yo, (1
decr. to the left, k2tog, yo2) 5 (7, 9, 11) times, 1 decr. to the
left, k2tog, yo, 8 sts. crossed to the right for cable, yo, (1 decr.
to the left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo;
cables crossing in central panel (= leave 4 sts. onto a cable
needle and let it hang in back of work, k4, knit 4 slipped sts.)
5 times; yo, (1 decr. to the left, k2tog, yo2) 3 times, 1 decr. to
the left, k2tog, yo, 8 sts. crossed to the left for cable *, rep.
from * to * once more.

**Rounds 5, 9, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 53, 57, 61,
65, 69, 73, 77, 81, 85, 89 (93, 97, 101, 105, 109, 113):** move
SMb, * (k2tog, yo2, 1 decr. to the left) 6 (8, 10, 12) times,
k8 for cable, (k2tog, yo2, 1 decr. to the left) 4 times, k40 for
central panel, (k2tog, yo2, 1 decr. to the left) 4 times, k8 for
cable *, rep from * to * once more.

Rounds 7, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 (95, 103, 111):
move SMb, * yo (1 decr. to the left, k2tog, yo2) 5 (7, 9, 11)

times, 1 decr. to the left, k2tog, yo, k8 for cable, yo, (1 decr. to the left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo, k40 for central panel, yo, (1 decr. to the left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo, k8 for cable *, rep. from * to * once more.

Rounds 11, 27, 43, 59, 75 (99, 115): move SMB, * yo, (1 decr. to the left, k2tog, yo2) 5 (7, 9, 11) times, 1 decr. to the left, k2tog, yo, k8 for cable, yo, (1 decr. to the left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo, k4; cables crossing in central panel (= slip 4 sts. onto a cable needle and let it hang in front of work, k4, knit 4 slipped sts) 4 times, k4, yo, (1 decr. to the left, k2tog, yo2) 5 times; 1 decr. to the left, k2tog, yo, k8 for cable *, rep. from * to * once more.

Round 91: move SMB, * yo (1 decr. to the left, k2tog, yo2) 5 (7, 9, 11) times, 1 decr. to the left, k2tog, yo, k8 for cable, yo, (1 decr. to the left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo, k4; cables crossing in central panel (= slip 4 sts. onto a cable needle and let it hang in front of work, k4, knit 4 slipped sts) 4 times; k4, yo, (1 decr. to the left, k2tog, yo2) 5 times, 1 decr. to the left, k2tog, yo, k8 for cable *, rep. from * to * once more.

Only for size M: work rounds 93, 95, 97.

Only for size L: work rounds 101, 103, 105.

Only for size XL: work rounds 109, 111, 113.

SLEEVES UNTIL ARMHOLES

Lower band

Using US4/3.5 mm points, 32"/80 cm cable and waste-yarn, cast-on 52 (56, 60, 64) sts. and close in round, place the SMB. Across pattern, move it upwards. Cut the thread.

Using Poema yarn, knit 1 round (= round 0) and next 2 rounds in tubular st. as foll.:

1st round: (k1, slip 1 p-wise) until the end of round.

2nd round: (slip 1 k-wise, p1) until the end of round.

3rd round: * k1, hang next st. in back of work, k1, purl slipped st., p1 *, rep. from * to * until the end of round.

Cont. working 20 rounds rib 2/2, for band.

Work 1 round incr. 14 (16) sts. uniformly. [66 (72, 76, 80) sts.]

Use US6/4 mm points.

RIGHT SLEEVE

Beginning Round: move SMB, p1, place 1 SM, p28 (32, 36, 40) for patterned net, k8 for cable, p28 (32, 36, 40) for patterned net, place 1 SM, p1.

1st round: move SMB, k1, move next SM, (k2tog, yo2, 1 decr. to the left) 7 (8, 9, 10) times, k8 for cable, (k2tog, yo2, 1 decr. to the left) per 7 (8, 9, 10) times, move SM, k1.

2nd round and even rounds: move SMB, p1, move SM, purl the patterned net until the cable, k8 for cable, purl the patterned net until next SM, move SM, p1. Across the round work p1 and k1 into yo2.

Rounds 3, 19, 35, 51, 67, 83 (99, 107, 115): move SMB, k1, move next SM, yo, (1 decr. to the left, k2tog, yo2) until 4 sts. to the cable, 1 decr. to the left, k2tog, yo, 8 sts. crossed to the left for cable, yo, (1 decr. to the left, k2tog, yo2) 5 times, 1 decr. to the left, k2tog, yo, move SM, k1.

Rounds 5, 9, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 53, 57, 61, 65, 69, 73, 77, 81, 85, 89 (93, 97, 101, 105, 109, 113): move SMB, k1, move next SM, (k2tog, yo2, 1 decr. to the left) until the cable, k8 for cable, (k2tog, yo2, 1 decr. to the left) until next SM, move SM, k1.

Rounds 7, 11, 15, 23, 27, 31, 39, 43, 47, 55, 59, 63, 71, 75, 79, 87 (95, 103, 111): move SMB, k1, move next SM, yo, (1 decr. to the left, k2tog, yo2) until 4 sts. to the cable, 1 decr. to the left, k2tog, yo, k8 for cable, yo, (1 decr. to the left, k2tog, yo2) until 4 sts. to next SM, 1 decr. to the left, k2tog, yo, move SM, k1.

On sides of 2 SM (SMB excluded), increase 1 st. every 7 rounds, and work the increased stitches in patterned net.

Round 91 (99, 107, 115): remove the SMB, k1, remove next SM, k3, place 1 SM, k1, yo, (1 decr. to the left, k2tog, yo2) until 4 sts. to the cable, 1 decr. to the left, k2tog, yo, k8 for cable, yo, (1 decr. to the left, k2tog, yo2) until 8 sts. to next SM, 1 decr. to the left, k2tog, yo, k1. Leave 3 sts. before first SM and 5 sts. before second SM (=8 sts.).

Only for size M: work the rounds 93, 95, 97.

Only for size L: work the rounds 101, 103, 105.

Only for size XL: work the rounds 109, 111, 113. [26 26 30 30]

LEFT SLEEVE

Like right sleeve, working 8 sts. crossed to the right instead of 8 sts. crossed to the left (for central cable).

YOKE

Restart working in round for front/back and sleeves as foll.:

Rounds 92 (100, 108, 116): move SMB, p8 (12, 16, 20) for patterned net, leave 8 sts., place 1 SM, work the sts. of left sleeve, place 1 SM, p8 (12, 16, 20) for patterned net, k8 for cable, p16 for patterned net, k40 for central panel, p16 for patterned net, k8 for cable, p8 (12, 16, 20) for patterned net, place one SM, work the sts. of right sleeve, place one SM, p8 (12, 16, 20) for patterned net, k8 for cable, p16 for patterned net, k40 for central panel, p16 for patterned net, k8 for cable.

Across next round, place the SM for raglan decreases.

Rounds 93 (101, 109, 117): move SMB, * (k2tog, yo2, 1 decr. to the left) 1 (2, 3, 4) times, k2tog, yo, k1, place 1 SM, sk2p with central rib, place 1 SM, k1, yo, 1 decr. to the left, (k2tog, yo2, 1 decr. to the left) until the cable, k8 for cable, (k2tog, yo2, 1 decr. to the left) until 5 sts. to next SM, k2tog, yo, k1, place 1 SM, sk2p with central rib, place 1 SM, k1, yo, 1 decr. to the left, (k2tog, yo2, 1 decr. to the left) 1 (2, 3, 4,) times, k8 for cable, (k2tog, yo2, 1 decr. to the left) 4 times, k40 for central panel, (k2tog, yo2, 1 decr. to the left) 4 times, k8 for cable *, rep. from * to * once more.

Rounds 94 and even rounds: move SMB, * purl the patterned net until next SM, move SM, p1, move SM, purl until the cable, k8 for cable, purl the patterned net until next SM, move SM, p1, move SM, purl until the cable, k8 for cable, p16 for patterned net, k40 for central panel, p16 for patterned net, k8 for cable *, rep. from * to * once more (p1 and k1 in each yo2)

Rounds 95 (103, 110, 118): move SMB, * (yo, 1 decr. to the left, k2tog, yo) rep. until 3 sts. to next SM, k1, k2tog, move SM, k1, move SM, 1 decr. to the left, k1 yo, 1 decr. to the left, (k2tog, yo2, 1 decr. to the left) until 2 sts. before the cable, k2tog, yo, k8 for cable, yo, 1 decr. to the left, (k2tog, yo2, 1 decr. to the left) until 5 sts. before the next SM, k2tog, yo, k1, k2tog, move SM, k1, move SM, 1 decr. to the left, k1, (yo, 1 decr. to the left, k2tog, yo) rep. until the cable, k8, for cable, yo, (1 decr. to the left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo, k40 for central panel, yo, (1 decr. to the

left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo, k8 for cable *, rep. from * to * once more.

Rounds 97 (104, 111, 119): move SMB, * (k2tog, yo2, 1 decr. to the left) until next SM, k2tog, move SM, k1, place 1 SM, 1 decr. to the left, (k2tog, yo2, 1 decr. to the left) until the cable, k8 for cable, (k2tog, yo2, 1 decr. to the left) until 2 sts. to next SM, k2tog, move SM, k1, place 1 SM, 1 decr. to the left, (k2tog, yo2, 1 decr. to the left) until the cable, k8 for cable, (k2tog, yo2, 1 decr. to the left) 4 times, k40 for central panel, (k2tog, yo2, 1 decr. to the left) 4 times, k8 for cable *, rep. from * to * once more.

Rounds 99 (105, 113, 121): move SMB, * (yo, 1 decr. to the left, k2tog, yo) until 3 sts. to next SM, k1, k2tog, move next SM, k1, move next SM, k1, (k2tog, yo2, 1 decr. to the left) until 2 sts. to the cable, k2tog, yo, 1 8, sts, cable, yo, 1 decr. to the left, (k2tog, yo2, 1 decr. to the left) until 3 sts. to next SM, k1, k2tog, place 1 SM, k1, place 1 SM, 1 decr. to the left, k1, (yo, 1 decr. to the left, k2tog, yo) until 3 sts. to the cable, 8 sts. crossed to the right for next cable, yo, (1 decr. to the left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo, cables crossing in central panel (= slip 4 sts. onto a cable needle and let it hang in back of work, k4, knit 4 slipped sts.) 5 times, yo, (1 decr. to the left, k2tog, yo2) 3 times, 1 decr. to the left, k2tog, yo, 8 sts. crossed to the left for cable *, rep. from * to * once more.

Rounds 101 (107, 115, 123): move SMB, * (k2tog, yo2, 1 decr. to the left) until next SM, k2tog, move SM, k1, move SM, 1 decr. to the left, 1 decr. to the left, (k2tog, yo2, 1 decr. to the left) until next cable, k8 for cable, (k2tog, yo2, 1 decr. to the left) until 4 sts. to next SM, k2tog, k2tog, move SM,

k1, move SM, 1 decr. to the left, 1 decr. to the left, k8 for cable, (k2tog, yo2, 1 decr. to the left) 4 times, k40 for central panel, (k2tog, yo2, 1 decr. to the left) per 4 times, k8 for cable *, rep from * to * once more.

Cont. like above pattern, decr. 1 st. every 2 rounds, on both sides of raglan SM: crossing of sts. in central panels at rounds 107, 115, 123, 131, 139, crossing of the cables at rounds 115, 131, 147. Move SMB where needed.

From 131st round, on both sides of SM raglan of sleeves, decr. 2 sts. every 2 rounds, 4 times: crossing of sts. in central panels at round 131, crossing of the cables at round 131. Move SMB where needed. Decrease 2 sts. working sk2p with central rib.

From 139th round, on both sides of raglan SM of sleeves, decr. 1 st. every 2 rounds: crossing of sts. in central panels at rounds 139, 147, crossing of the cables at round 147. Move SMB where needed.

Cont. until there are 120 (120, 136, 136) sts.

Collar

Using US4/3.5 mm short points with 15¾"/40 cm cable, work 12 rounds rib 2/2 on 120 (120, 136, 136) sts.

Cont. in tubular st. as foll.:

1st round: * k1, slip next st., p1, knit slipped st., p1 *, rep. from * to * until the end of round.

2nd round: (k1, slip 1 p, wise) rep. until end of round.

3rd round: (slip 1 k, wise, p1.) until end of fine round.

FINISHING

Bind off all sts. of collar in graft st. Always in graft st. join 8 sts. of undersleeve. Hide the ends. Wet and block the garment.