

DESIGN 10

SEAT PADS

Measurements

	Small	Medium	Large
cm	36 x 36	41 x 41	46 x 46
in	14 x 14	16 x 16	18 x 18

Materials

200g Araucania Toconao Multy for Small Seat Pad 300g Araucania Toconao Multy Shade 418 for Medium Seat Pad

300g Araucania Toconao Multy for Large Seat Pad 1 Pair of 4.5mm (US7) knitting needles one 15 [20:26]cm, 6 [8:10]in, Zip for each cushion pad Seat pads or stuffing if required

Tension

18sts and 24 rows to 10cm, 4in, over stocking stitch using 4.5mm (US7) knitting needles.

For abbreviations see page 38

Back and Front (Both alike)

Using 4.5mm (US7) needles cast on 65 [73:83]sts and knit 4 rows.

Next Row: Knit.

Next Row: K3, purl to last 3sts, K3. Last 2 rows set g-st borders and st-st.

Keeping continuity of g-st borders and st-st as set cont until work measures 35 [40:45]cm, 13³/₄ [15³/₄:17³/₄]in,

ending with a ws row.

Knit 4 rows. Cast off.

To Complete

Make 2 twisted cords using 4 strands of yarn to desired length. Insert zip along top edge of pad. Secure in place each twisted cord by folding cord in half and placing parallel with chair back uprights. Join



remainder of top edge. Join remaining 3 sides of pad. Either stuff or place cushion pad inside. See ball band for care instructions.

Seat Pad



Mini Knits 2 by Araucania



Design Credit: Jenny Watson Photography Credit: Glen Pearson

All Knitting Fever publications are intended for personal use only. Knitting Fever, Inc. (KFI) does not guarantee the final result. Measurements, gauge, etc. are included as a guideline. If you have any questions about this project, please contact us at knittingfever.com.