



General information

The quantities of yarn are based on average requirements and are therefore approximate. It is essential to work to the stated tension and you should always knit a tension square before starting. If you have too many stitches to 10cm/4ins your tension is tight and you should change to a larger needle. If there are too few stitches, your tension is loose and you should change to a smaller needle.

We cannot accept responsibility for the finished product if any yarn other than the one specified is used.

Instructions given are for the first size, with larger sizes in round brackets. Where only one size is given this applies to all sizes. Work all directions in square brackets the number of times stated.

Washing and Pressing Instructions:

See ball band.

Standard Abbreviations

alt = alternate

beg = beginning

cont = continue

dec = decrease

fol = following

gst = garter stitch

inc = increase

k = knit

m1 = make one by picking up the loop lying between st just worked and next st and working into back of it

patt = pattern

p = purl

pss = pass slipped st over

rem = remaining

rep = repeat

skpo = slip 1, knit 1, pass slipped stitch over

sl = slip

st(s) = stitch(es)

st st = stocking stitch

tbl = through back of loop

tog = together

yf = yarn forward

yon = yarn over needle

yrn = yarn round needle

USA Glossary

Cast off = bind off

Moss Stitch = seed stitch

Tension = gauge

Stocking stitch = stockinette stitch

Yarn forward, yarn over needle, or yarn round needle = yarn over

Guernsey Style Sweater

MEASUREMENTS

To fit bust/chest	97-102	107-112	cm
	38-40	42-44	in
Actual measurements			
Chest	120	128.5	cm
	47¼	50½	in
Length	69	69	cm
	27¼	27¼	in
Sleeve length	52	52	cm
(before cuff is rolled back)	20½	20½	in

MATERIALS

700(750)g of Noro Cash Iroha in shade 7.
Pair each of 4½mm(US 7) and 5mm(US 8)
knitting needles.
Cable needle.
4½mm(US 7) and 3¾mm(US 5) short
circular needles.

TENSION

18 sts and 24 rows to 10cm/4in square over
st st on 5mm(US 8) needles.
21 sts and 24 rows to 10cm/4in square over
yoke patt on 5mm(US 8) needles.

ABBREVIATIONS

C2B = slip next st onto cable needle, hold at
back, k1tbl, p1 from cable needle.

C2F = slip next st onto cable needle, hold at
front, p1, k1tbl from cable needle.

C6B = slip next 3 sts onto cable needle,
hold at back, k3, k3 from cable needle.

C6F = slip next 3 sts onto cable needle, hold
at front, k3, k3 from cable needle.

kfb = knit into front and back of st.

m1p = lift strand between sts and p into
back of it.

Also see page 4.

BACK

Using 4½mm(US 7) needles, cast on
119(127) sts.

Beg with a k row work in st st until back
measures 19cm/7½in, ending with a p row.
Change to 5mm(US 8) needles.

Yoke inc row (right side) [K2, p2] 1(2)
times, * k5, p1, k1tbl, m1p, [k1tbl, p1] 3
times, k1tbl, m1p, k1tbl, p1, k5 *, p2, ** slip
next 2 sts onto cable needle, hold at back,
k3, kfb, k1 from cable needle **, p2, [k2, p2]
twice, rep from ** to **, p2, rep from * to *,
p2, *** slip next 3 sts onto cable needle, hold
at front, kfb, k1, k3 from cable needle ***,
p2, [k2, p2] twice, rep from *** to ***, p2, rep
from * to *, [p2, k2] 1(2) times. 129(137) sts.
This row increases for the yoke patt and is
not repeated.

2nd row (wrong side) [P2, k2] 1(2) times,
* p5, k1, [p1tbl, k1] 6 times, p5 *, k2, p6, k2,
[p2, k2] twice, p6, k2, rep from * to *, k2, p6,
k2, [p2, k2] twice, p6, k2, rep from * to *, [k2,
p2] 1(2) times.

The last 2 rows form rib between panels.

3rd row Rib 4(8), * k4, p1, [C2B] 3 times,
k1, [C2F] 3 times, p1, k4 *, p2, k6, rib 10, k5,
p2, rep from * to *, p2, k6, rib 10, k6, p2, rep
from * to *, rib 4(8).

4th and every wrong side row Working tbl sts of previous row tbl, k and p the sts as they appear.

5th row Rib 4(8), * k3, p1, [C2B] 3 times, k1, p1, k1, [C2F] 3 times, p1, k3 *, p2, k6, rib 10, k6, p2, rep from * to *, p2, k6, rib 10, k6, p2, rep from * to *, rib 4(8).

7th row Rib 4(8), * k2, p1, [C2B] 3 times, k1, [p1, k1] twice, [C2F] 3 times, p1, k2 *, p2, C6B, rib 10, C6B, p2, rep from * to *, p2, C6F, rib 10, C6F, p2, rep from * to *, rib 4(8).
The last 6 rows form the cable panels.

9th row Rib 4(8), * k1, p1, [C2B] 3 times, k1, [p1, k1] 3 times, [C2F] 3 times, p1, k1 *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

11th row Rib 4(8), * p1, [C2B] 3 times, k1, [p1, k1] 4 times, [C2F] 3 times, p1 *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

13th row Rib 4(8), * [C2B] 3 times, k1, [p1, k1] 5 times, [C2F] 3 times *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

15th row Rib 4(8), * [C2F] 3 times, p1, [k1, p1] 5 times, [C2B] 3 times *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

17th row Rib 4(8), * k1, [C2F] 3 times, p1, [k1, p1] 4 times, [C2B] 3 times, k1 *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

19th row Rib 4(8), * k2, [C2F] 3 times, p1, [k1, p1] 3 times, [C2B] 3 times, k2 *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

21st row Rib 4(8), * k3, [C2F] 3 times, p1, [k1, p1] twice, [C2B] 3 times *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

23rd row Rib 4(8), * k4, [C2F] 3 times, p1, k1, p1, [C2F] 3 times, k4 *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

25th row Rib 4(8), * k5, [C2F] 3 times, p1, [C2F] 3 times, k5 *, patt 26, rep from * to *, patt 26, rep from * to *, rib 4(8).

2nd to 25th rows form the yoke patt.

Work 35 more rows, so ending with 12th patt row of 3rd repeat.

Shape armholes

Next row (right side) Kfb, patt to last 2 sts, kfb, k1. 131(139) sts.

Mark each end of this row ****.

Work 61 more rows, so ending with 2nd patt row of 6th repeat.

Leave sts on a holder.

FRONT

Work as Back to ****.

Work 49 more rows, so ending with 14th patt row of 5th repeat.

Shape neck

Next row (right side) Patt 51(55), skpo, turn and complete left side on these 52(56)sts.

Cont in patt, dec one st at neck edge on next 11 rows. 41(45) sts.

With right side facing, slip centre 25 sts onto a holder, rejoin yarn to rem sts, k2tog, patt to end.

Complete to match left side.

SLEEVES

Using 4½mm(US 7) needles, cast on 44(48) sts.

Beg with a k row, work in st st until sleeve measures 5cm/2in, ending with a p row.

Change to 5mm(US 8) needles.

Beg with a k row work 2 rows in st st.

Inc row K1, kfb, k to last 3 sts, kfb, k2.

Inc in this way at each end of every 4th row until there are 90 sts.

Work 1(9) rows in st st.

Patt inc row (right side) [K2, p2] 3 times, work as given for * to * of yoke inc row of Back, p2, work as given from ** to ** of yoke inc row of Back, p2, [k2, p2] twice, work as given from *** to *** of yoke inc row of Back, p2, work as given for * to * of yoke inc row of Back, [p2, k2] 3 times. 96 sts.

This row sets the patt for a centre panel of cable and rib with a diamond at each side and rib at each end.

Cont to match Back working a further 25 rows in patt as set.

Cast off.

NECKBAND

With wrong sides together and back facing, taking one st from back together with one st from front each time, cast off 41(45) sts of right shoulder. Leave centre 49 sts of back on a holder. Cast off 41(45) sts of left shoulder in the same way.

Using 4½mm(US 7) circular needle, k 49 sts from back neck holder, k up 16 sts down left front neck, k25 sts from holder, k up 16 sts up right front neck. 106 sts.

K 12 rounds.

Change to 3¾mm(US 5) circular needle. K 12 rounds. Cast off.

TO MAKE UP

Press lightly according to ball band. Sew sleeves between markers. Join side and sleeve seams. Allow edges to roll.