







7(9:11)cm/2½(3½:4¼)in from cast on edge, the sixth 1cm/½in from neck edge, the rem 4 spaced evenly between.

### RIGHT POCKET LINING

With 7½mm(US 11) needles cast on 24(26:30) sts.

**1st row** (right side) \* P1, k1; rep from \* to end.

**2nd row** \* K1, p1; rep from \* to end.

These 2 rows form the moss st.

Cont in moss st until pocket measures 14(15:16)cm/5½(6:6¼) ending with a wrong side row.

Leave sts on a holder.

### RIGHT FRONT

With 7mm(US 10½) needles cast on 28(30:34) sts.

Working buttonholes to match button markers as follows:

**Buttonhole row** (right side) K1, k2tog, yf, k1, patt to end.

K25(29:33) rows.

**Next row** (right side) K24(25:28), turn.

**Next row** K to end.

**Next row** K20(20:22), turn.

**Next row** K to end.

**Next row** K16, turn.

**Next row** K to end.

**Next row** K12, turn.

**Next row** K to end.

**Next row** K8, turn.

**Next row** K to end.

**Next row** K4, turn.

**Next row** K to end.

**Next row** K to end.

**Next row** Cast off 24(26:30) sts, k to end. Change to 7½mm(US 11) needles.

**Next row** (right side) K4, work in moss st across pocket lining.

**Next row** \* K1, p1; rep from \* to last 4 sts, k4.

**Next row** K4, \* p1, k1; rep from \* to end.

The last 2 rows set the moss st patt with garter st border.

Cont straight until front measures 41(46:50)cm/16(18:19¼)in from beg, ending with a wrong side row.

### Shape neck

**Next row** Patt 6 sts, leave these sts on a holder, patt to end.

Dec one st at neck edge on every row until 18(20:22) sts rem.

Work straight until front matches back to shoulder, ending at side edge.

### Shape shoulder

**Next row** Cast off 9(10:11) sts, patt to end.

Work 1 row.

Cast off rem 9(10:11) sts.

### SLEEVES

With 7½mm(US 11) needles cast on 33(35:37) sts.

K 5 rows.

Work in moss st as given for Back until sleeve measures 5(6:6)cm/2(2½:2½)in from beg ending with a wrong side row.

Change to 7mm(US 10½) needles.

Work a further 5(6:6)cm/2(2½:2½)in moss st.

Change to 7½mm(US 11) needles.

Cont in moss st, inc one st at each end of the next and every foll 4th row until there are 47(53:59) sts.

Work straight until sleeve measures 28(31:34)cm/11(12¼:13½)in from cast on edge, ending with a wrong side row.

Cast off.

### COLLAR

Join shoulder seams.

With right side facing and 7mm(US 10½) needles, slip 6 sts from right front holder onto a needle, pick up and k10 sts up right front neck, 21(23:25) sts across back neck, 10 sts down left front neck, then k6 sts from holder. 53(55:57) sts.

**Next row** K5, moss st to last 5 sts, k5.

This row sets the patt for moss st with garter st edge.

**Next 2 rows** Patt to last 14 sts, turn.

**Next 2 rows** Patt to last 12 sts, turn.

**Next 2 rows** Patt to last 10 sts, turn.

**Next 2 rows** Patt to last 8 sts, turn.

Patt to end.

Cast off 3 sts at beg of next 2 rows.

47(49:51) sts.

**Next row** Patt to end.

**Next row** K3, m1, moss st to last 3 sts, m1, k3.

**Next 3 rows** K3, moss st to last 3 sts, k3.

Rep the last 4 rows once more.

K 5 rows.

Cast off.

### TO MAKE UP

Sew down pocket linings. Sew on sleeves.

Join side and sleeve seams. Sew on buttons.

Turn back cuffs.