



NORO

Y-696



NORO

Y-696

Noro Shinano



NO-Y696



Y696 NORO SHINANO CABLED SLEEVELESS SWEATER

SIZES

To fit bust 32/34 36/38 ins.
81/86 91/96 cms.

FINISHED MEASUREMENTS

WIDTH 38 42 ins.
96 106 cms.

LENGTH 22 24 ins.
56 61 cms.

MATERIALS

1 pair each of no 5mm (UK6-USA7) and 5½mm (UK5-USA8) needles.

Cable Needle.

Noro Shinano x 50grm balls

Shade 13 10 12 balls

TENSION

Measured over patt using 5½mm needles 30sts x 24 rs = 10 cms (4 ins) square.

BACK

With 5mm needles cast on 84(91)sts and wk 1½ inch in K1, P1 rib.

NR: (VVSF) (inc row) K1, * [P1, M1] 5 times, K2, * rep * to * 10(11) times more, [P1, M1] 5

13.

times, K1. 144(156)sts.

Change to 5½mm needles and wk patt as follows:

Row 1: (RSF) P1, [K10, P2]

11(12) times, K10, P1.

Row 2: K all K sts and P all P sts to end.

Rep the last 2 rs twice more.

1st size only

Row 7: P1, [C10B, P2, K10, P2] 5 times, C10B, P2, K10, P1.

2nd size only

Row 7: P1, [C10B, P2, K10, P2] 6 times, C10B, P1.

Both sizes

Row 8: As row 2.

Rep rs 1 and 2 twice more.

1st size only

Row 13: P1, [K10, P2, C10F, P2] 5 times, K10, P2, C10F, P1.

2nd size only

Row 13: P1, [K10, P2, C10F, P2] 6 times, K10, P1.

Both sizes

Row 14: As row 2.

Rep rs 1 and 2 twice more.

Rep patt from row 7 until back measures 15(16) ins from beg, ending with a wrong side row.

SHAPE ARMHOLES RSF

Cast off 10sts at the beg of the next 2 rs. Then dec 1 st at each end of the foll 14 rs. 96(108)sts rem.

Patt straight until back measures 21(23) ins from beg, ending with a wrong side row.

SHAPE SHOULDER & BACK NECK

Row 1: (RSF) Cast off 9(10)sts patt until 24(27)sts on right hand needle, turn and put rem sts on a spare needle.

Row 2: Cast off first 4sts and patt to end.

Row 3: Cast off 8(10)sts and patt to end.

Row 4: As row 2.

Cast off rem 8(9)sts.

Return to the sts on the spare needle. RSF rejoin yarn and cast off centre 30(34)sts then cont on rem sts as follows:

Row 1: Patt to end.

Row 2: Cast off 9(10)sts and patt to end.

Row 3: Cast off 4sts and patt to end.

Row 4: Cast off 8(10)sts and patt to end.

Row 5: As row 3.

Cast off rem 8(9)sts.

FRONT

Cast on and wk as for back until front is 22(24)rs shorter than back (measuring from top of shoulder)

SHAPE FRONT NECK RSF

Patt 37(43)sts and put rem sts on a spare needle. Turn P2tog, and patt to end. Cont to dec 1 st at neck edge on the next 11(13)rs. 25(29) sts rem. Patt 5 rs.

SHAPE SHOULDER RSF

Row 1: Cast off 9(10)sts and patt to end.

Row 2: Patt to end.

Row 3: Cast off 8(10)sts and patt to end.

Row 4: As row 2.

Cast off rem 8(9)sts.

Return to the sts on the spare needle. Slip centre 22sts onto a st holder. RSF rejoin yarn to rem sts and complete to match first side reversing shapings.

NECKBAND

(join right shoulder seam) RSF with 5mm needles pick up and knit around neck edge as follows:

20(22)sts evenly down left front neck edge, 22sts across centre front dec 10sts evenly (12sts

NORO

Y-696

Noro Shinano



NO-Y696



rem), 20(22)sts evenly up right front neck edge, 4sts down right back neck edge, 24(28)sts across centre back neck and 4sts up left back neck edge. 84(92)sts.
Wk 3 1/2 ins in K1, P1 rib. Cast off loosely.

ARMBANDS

(join left shoulder and neckband seams)

RSF with 5mm needles pick up and K93(97)sts evenly around armhole edge.

Wk 4 rs K1, P1 rib. Cast off.

MAKE UP

Join side and armband seams.
Sew in all loose threads..