

Araucaria Yarns  
NATURAL INSPIRATION

Designed by ♥  
*JW*  
jenny watson  
designs



A2009 WAISTCOAT

Knitting Fever INC  
315 Bayview Avenue, Amityville, NY 11701  
[www.knittingfever.com](http://www.knittingfever.com)





## A2009 WAISTCOAT

Although every effort has been made to ensure that instructions are correct, Jenny Watson Designs cannot accept any liabilities.

### ABBREVIATIONS

alt	alternate
beg	beginning
cm	centimetres
CN	Cable Needle
cont	continue
dec	decrease(ing)
fol	following
g	grammes
in	inch(es)
K	knit
mm	millimetres
P	purl,
patt	pattern
rep	repeat
rem	remain(ing)
rs	right side
st(s)	stitches
ws	wrong side

### SPECIAL ABBREVIATIONS

**C8B.** Slip next 4sts onto a CN and hold at back of work, K4, then K4 from CN.

**C8F.** Slip next 4sts onto a CN and hold at front of work, K4, then K4 from CN.

### DIRECTIONS

#### LEFT FRONT

Using 5mm (US8) needles cast on 70 [75:80:85:90:95]sts.

**1st Row:** P0 [1:2:0:0:1], K2 [2:2:1:2:2], \*P2, K2, rep from \* to end.

**2nd Row:** \*P2, K2, rep from \* to last 2 [3:0:1:2:3]sts, P2 [2:0:1:2:2], K0 [1:0:0:0:1].

**3rd Row:** K0 [1:2:0:0:1], P2 [2:2:1:2:2], \*K2, P2, rep from \* to end.

**4th Row:** \*K2, P2, rep from \* to last 2 [3:0:1:2:3]sts, K2 [2:0:1:2:2], P0 [1:0:0:0:1].

1st to 4th row sets position of block patt. Keeping continuity of block patt as set (throughout) work 64 rows dec 1 st at beg of next and every foll 4th row.

54 [59:64:69:74:79]sts.

#### Shape Armhole

**Next Row:** Cast off 4 [4:4:6:6:6]sts in patt, patt to end.

50 [55:60:63:68:73]sts.

**Next Row:** Patt.

Work 4 [6:8:8:10:12] rows dec 1 st at armhole edge in every row.

46 [49:52:55:58:61]sts.

Work 3 [5:7:9:11:13] rows dec 1 st at armhole edge in next and every foll alt row.

44 [46:48:50:52:54]sts.

Cont without shaping until armhole measures 18 [20:22:24:26:28]cm, 7 [8:8¼:9½:10¼:11]in, ending with a ws row.

#### Shape Shoulder

Cast off 13 [15:17:19:21:23]sts in patt, patt to end. 31sts.

#### Collar

Cont without shaping until Collar measures 9cm, 3½in, from cast off sts, ending at inside edge.

**Next Row:** Cast off 10sts in patt, patt to end. 21sts.

**Next Row:** Patt.

**Next Row:** Cast off 10sts in patt, patt to end. 11sts.

**Next Row:** Patt.

Cast off rem 11sts in patt.

#### RIGHT FRONT

Using 5mm (US8) needles cast on 70 [75:80:85:90:95]sts.

**1st Row:** \*K2, P2, rep from \* to last 2 [3:0:1:2:3]sts, K2 [2:0:1:2:2], P0 [1:0:0:0:1].

**2nd Row:** K0 [1:0:0:0:1], P2 [2:0:1:2:2], \*K2, P2, rep from \* to end.

**3rd Row:** \*P2, K2, rep from \* to last 2 [3:0:1:2:3]sts, P2 [2:0:1:2:2], K0 [1:0:0:0:1].

**4th Row:** P0 [1:0:0:0:1], K2 [2:0:1:2:2], \*P2, K2, rep from \* to end.

1st to 4th row sets position of block patt. Keeping continuity of block patt as set (throughout) work 64 rows dec 1 st at end of next and every foll 4th row.

54 [59:64:69:74:79]sts.

**Next Row:** Patt.

#### Shape Armhole

**Next Row:** Cast off 4 [4:4:6:6:6]sts in patt, patt to end.

### MEASUREMENTS

#### To Fit Bust

cm 71/76 81/86 91/97 102/107 112/117 122/127  
in 28/30 32/34 36/38 40/42 44/46 48/50

#### Actual size

cm 81 91 102 112 122 132  
in 32 36 40 44 48 52

#### Full Length (approximately)

cm 44 46 48 0 52 54  
in 17¼ 18 19 19¾ 20½ 21½

### MATERIALS

200 [250:300:300:350:350]g of Araucania Cau Cau Shade 2012.

1 Pair of 5mm (US8) knitting needles.

1 Pair of 4mm (US6) knitting needles.

Cable Needle.

### TENSION

20sts and 26 rows to 10cm, 4in over block pattern using 5mm (US8) knitting needles or the size required to give the correct tension.

**Important Notes:** Instructions are given for 71/76cm, 28/30in, larger sizes are given in square brackets.

Where only one figure is given, this applies to all sizes. Where the figure 0 appears, no sts, rows or times are worked for this size.

50 [55:60:63:68:73]sts.  
 Work 4 [6:8:8:10:12] rows dec 1 st at armhole edge in every row.  
 46 [49:52:55:58:61]sts.  
 Work 3 [5:7:9:11:13] rows dec 1 st at armhole edge in next and every foll alt row.  
 44 [46:48:50:52:54]sts.  
 Cont without shaping until armhole measures 18 [20:22:24:26:28]cm, 7 [8:8¾:9½:10¼:11]in, ending with a rs row.

**Shape Shoulder**

Cast off 13 [15:17:19:21:23]sts in patt, patt to end.

31sts.

**Collar**

Cont without shaping until Collar measures 9cm, 3½in, from cast off sts, ending at inside edge.

**Next Row:** Cast off 10sts in patt, patt to end. 21sts.

**Next Row:** Patt.

**Next Row:** Cast off 10sts in patt, patt to end. 11sts.

**Next Row:** Patt.

Cast off rem 11sts in patt.

**BACK**

Using 5mm (US8) needles cast on 82 [92:102:112:122:132]sts.

**1st Row:** P0 [1:0:0:0:1], K2 [2:0:1:2:2], P2, \*K2, P2, rep from \* to last 2 [3:0:1:2:3]sts, K2 [2:0:1:2:2], P0 [1:0:0:0:1].

**2nd Row:** K0 [1:0:0:0:1], P2 [2:0:1:2:2], \*K2, P2, rep from \* to last 4 [5:2:3:4:5]sts, K2, P2 [2:0:1:2:2], K0 [1:0:0:0:1].

**3rd Row:** K0 [1:0:0:0:1], P2 [2:0:1:2:2], K2,

\*P2, K2, rep from \* to last 2 [3:0:1:2:3]sts, P2 [2:0:1:2:2], K0 [1:0:0:0:1].

**4th Row:** P0 [1:0:0:0:1], K2 [2:0:1:2:2], \*P2, K2, rep from \* to last 4 [5:2:3:4:5]sts, P2, K2 [2:0:1:2:2], P0 [1:0:0:0:1].

1st to 4th row sets block patt.

Keeping continuity of block patt as set (throughout) work 64 rows more.

**Shape Armholes**

Cast off 4 [4:4:6:6:6]sts in patt at beg of next 2 rows.

74 [84:94:100:110:120]sts.

Work 4 [6:8:8:10:12] rows dec 1 st at armhole edge in every row.

66 [72:78:84:90:96]sts.

Work 3 [5:7:9:11:13] rows dec 1 st at armhole edge in next and every foll alt row.

62 [66:70:74:78:82]sts.

Cont without shaping until armholes measure 18 [20:22:24:26:28]cm, 7 [8:8¾:9½:10¼:11]in, ending with a ws row.

Cast off 13 [15:17:19:21:23]sts in patt at beg of next 2 rows.

36sts.

Cast off rem 36sts in patt.

**LEFT ARMHOLE BORDER**

Using 4mm (US6) needles cast on 12sts.

**1st Row:** K1, P1, K8, P1, K1.

**2nd Row:** P1, K1, P8, K1, P1.

**3rd and 4th Rows:** As 1st and 2nd rows.

**5th Row:** K1, P1, C8B, P1, K1.

**6th Row:** As 2nd row.

**7th Row:** As 1st row.

**8th Row:** P1, K1, P8, K1, P1.

1st to 8th row sets cable patt.

Keeping continuity of patt as set (throughout) cont until border is of sufficient length to go evenly all round armhole edge, ending with 8th row of patt. Cast off in patt.

**RIGHT ARMHOLE BORDER**

Using 4mm (US6) needles cast on 12sts.

**1st Row:** K1, P1, K8, P1, K1.

**2nd Row:** P1, K1, P8, K1, P1.

**3rd and 4th Rows:** As 1st and 2nd rows.

**5th Row:** K1, P1, C8F, P1, K1.

**6th Row:** As 2nd row.

**7th Row:** As 1st row.

**8th Row:** P1, K1, P8, K1, P1.


1st to 8th row sets cable patt.

Keeping continuity of patt as set (throughout) cont until border is of sufficient length to go evenly all round armhole edge, ending with 8th row of patt. Cast off in patt.

**TO COMPLETE**

Join shoulder seams. Join shaped edges of side seams of Front to Back side seams. Join cast off edges of collar and placing seam to centre back of neck sew in position to back of neck. Join ends of armhole borders together and placing seam to top of side edge sew armhole border evenly in position. Using 4 strands of yarn in each make 2 twisted cords 41cm 16in in length and attach to fronts below Collar as illustrated.

See ball band for care instructions.



Please note:  
 All measurements are approximate.