

NORO

Nadeshiko

Lace Panel Sweater & Muffle



Lace Panel Sweater & Muffle



Y-961

Size

To fit bust (in/cms)	32-34/81-86	34-36/86-91	36-38/91-96
----------------------	-------------	-------------	-------------

Finished Measurements

Width (underarm) (in/cms)	44/112	46/117	48/122
Length (in/cms)	23/59	24/61	25/64
Sleeve Seam (in/cms)	15½/39	16/41	16½/42

Materials

US 10½ (7mm) needles (x2)			
US 11 (8mm) needles (x2)			
Noro Nadeshiko shade #22 (grams/approx. skeins)	560/6	590/6	620/7

Tension

Measured over stocking stitch using US 11 needles 12½sts x 18rs = 4in (10cm) square.

TENSION

VERY IMPORTANT: Wk a tension square, if too small use a larger needle, if too large use a smaller needle. It is essential to work to correct tension to achieve finished measurements stated.

ABBREVIATIONS (not all abbreviations apply to this pattern)

K = knit.	NR = next row.
P = purl.	 foll = following.
st(s) = stitch(es).	st.st. = stocking stitch (RSF knit, WSF purl).
rs = rows.	Rev.st.st. = reverse stocking stitch (RSF purl, WSF knit).
wk = work.	 beg = beginning.
ins = inches.	 alt = alternate.
dec = decrease(ing).	 ch = chain.
inc = increase(ing).	 dc = double crochet.
patt = pattern.	 tr = treble.
rep = repeat.	 yf = yarn forward.
tog = together.	 sl 1 = slip one stitch.
RSF/WSF = right/wrong side facing.	 pssso = pass slipped stitch over.
rem = remaining.	
cont = continue.	

M1P = make one stitch purlwise thus: pick up horizontal loop lying between last stitch worked and next stitch and purl into back of loop.

M1K = make one stitch thus: pick up horizontal loop lying between last stitch worked and next stitch and knit into back of loop.

T3F = slip next 2sts onto a cable needle and hold at front of work, purl next st from left hand needle then K2sts from cable needle.

T3B = Slip next stitch onto a cable needle and hold at back of work, knit next 2sts from left hand needle then Purl stitch from cable needle.

C6F (C6B) = slip next 3sts onto a cable needle and hold at front (back) of work, knit next 3sts from left hand needle then K3sts from cable needle.

C4B = slip next 2sts onto a cable needle and hold at back of work, knit next 2sts from left hand needle then K2sts from cable needle.

Instructions

LACE PANEL (25sts x rs repeated)

Row 1: (RSF) K5, [K2tog] twice, yf, K2, M1K, K3, M1K, K2, yf, [sl 1, K1, pssso] twice, K5.

Row 2 and all foll alt rs: P11, K3, P11.

Row 3: K4, [K2tog] twice, yf, K2, M1K, K5, M1K, K2, yf, [sl 1, K1, pssso] twice, K4.

Row 5: K3, [K2tog] twice, yf, K2, M1K, K7, M1K, K2, yf, [sl 1, K1, pssso] twice, K3.

Row 7: K2, [K2tog] twice, yf, K3, yf, K7, yf, K3, yf, [sl 1, K1, pssso] twice, K2

Row 9: K1, [K2tog] twice, yf, K2, M1K, K1, K2tog, yf, K5, yf, sl 1, K1, pssso, K1, M1K, K2, yf, [sl 1, K1, pssso] twice, K1

Row 11: [K2tog] twice, yf, K2, M1K, K2, K2tog, yf, K5, yf, sl 1, K1, pssso, K2, M1K, K2, yf,

[sl 1, K1, pssso] twice.

Row 12: As row 2.

Rep these 12rs as required.

BACK

With US 10½ needles cast on 69(73,77)sts and wk as follows:

Row 1: (RSF) K1, * P1, K1, rep from * to end.

Row 2: K all K sts and P all P sts to end.

Rep the last 2 rs for a further 12rs.

Change to US 11 needles and wk patt as follows:

Row 1: (RSF) K22(24,26)sts, change to a different ball of yarn and wk row 1 lace panel for 25sts, change to a different ball of yarn and K22(24,26)sts.

(Note – using different balls of yarn will create the color block effect)

Row 2: In colors set, P22(24,26)sts, wk row 2 lace panel for 25sts, P22(24,26)sts.

Working appropriate rs of lace panel cont in patt as set until back measures 15½(16,16½) ins from beg ending with a wrong side row.

SHAPE ARMHOLES RSF

Cast off 3sts at the beg of the next 2 rs. Then dec 1 st at each end of the foll 8rs. 47(51,55)sts rem. Wk straight until back measures 22½(23½,24½) ins from beg ending with a wrong side row.

SHAPE BACK NECK AND SHOULDERS RSF

Row 1: Cast off 4(5,5)sts, patt until 10(10,11)sts on right hand needle, turn and put rem sts on a spare needle.

Row 2: Wk2sts tog and patt to end.

Row 3: Cast off 4(4,5)sts and patt to end.

Row 4: As row 2.

Cast off rem 4(4,4)sts.

Return to the sts on the spare needle. RSF rejoin yarn and cast off the center 19(21,23)sts.

Cont on rem sts as follows:

Row 1: Patt to end.

Row 2: Cast off 4(5,5)sts and patt to end.

Row 3: Wk2sts tog and patt to end.

Row 4: Cast off 4(4,5)sts and patt to end.

Row 5: As row 3.

Cast off rem 4(4,4)sts.

FRONT

Cast on and wk as given for back until front is 14(16,18)rs shorter than back.

SHAPE NECK RSF

Patt 18(20,22)sts and put rem sts on a spare needle. Turn wk2sts tog and

Lace Panel Sweater & Muffle



Y-961

Instructions (cont.)

patt to end. Cont to dec 1 st at neck edge on the next 5(6,7)rs. 12(13,14)sts rem. Patt straight until front measures same as back up to beg of shoulder shaping, ending with a wrong side row.

SHAPE SHOULDER RSF

Row 1: Cast off 4(5,5)sts and patt to end.

Row 2: Patt to end.

Row 3: Cast off 4(4,5)sts and patt to end.

Row 4: As row 2.

Cast off rem 4(4,4)sts.

Return to the sts on the spare needle. Slip center 11sts onto a st holder. RSF

rejoin yarn to rem 18(20,22)sts and wk as follows:

Row 1: Patt to end.

Row 2: Cast off 4(5,5)sts and patt to end.

Row 3: As row 1.

Row 4: Cast off 4(4,5)sts and patt to end.

Row 5: As row 1.

Cast off rem 4(4,4)sts.

NECKBAND

Join right shoulder seam.

RSF with US 10½ needles pick up and Knit around neck edge as follows:

14(16,18)sts evenly down left front neck edge, 11sts across center front, 14(16,18)sts evenly up right front neck edge, 3sts down right back neck edge, 19(21,23)sts across center back neck and 3sts up left back neck edge. 64(70,76)sts.

Wk 8rs in K1, P1 rib.

Cast off.

MUFFLE

With US 11 needles cast on 100sts and wk 30rs in K1, P1 rib.

Cast off.

Fold over and stitch sides together.

SLEEVES

With US 10½ needles cast on 27(29,31)sts and wk rib as given for back for 14rs inc 7sts evenly along the last row. 34(36,38)sts.

Change to US 11 needles and wk patt as follows:

Row 1 (RSF) Knit to end.

Row 2: Purl to end.

Rep the last 2 rs AT THE SAME TIME inc 1 st at each end of the next row and then on every foll 6th row until 52(54,56)sts working inc sts into st.st.

Wk straight until sleeve measures 15½(16,16½) ins from beg ending with a wrong side row.

SHAPE TOP RSF

Cast off 3sts at the beg of the next 2rs.

Row 3: K2tog, knit to the last 2sts, K2tog.

Row 4: Purl to end.

Rep the last 2 rs twice more.

Row 9: Cast off 2sts and knit to end.

Row 10: Cast off 2sts and purl to end.

Rep the last 2 rs 5 times more.

Cast off rem 16(18,20)sts.

MAKEUP

Join left shoulder and neck band seams. Sew in sleeves thus: pin center point of sleeve cast off edge to shoulder seam and stitch sleeve to body working from underarm to shoulder. Sew up side and sleeve seams.

