



MATAQUITO 1004

Designs by Anicy Manuguian

HANNAH HOODIE



SIZE: M BUST MEASUREMENT: 100 CM / 39 1/2"

MATERIALS · MATAQUITO · 1 000 gr SHADE 06

1 PAIR 8 US / 5 MM KNITTING NEEEDLES

IMPORTANT

AS THERE ARE NO DYE LOTS, WE RECOMMEND BUYING ENOUGH YARN AT ONE TIME TO COMPLETE EACH PROYECT.

PLEASE NOTE THAT DUE TO HAND DYING, HANKS ARE NEVER THE SAME, KNITT WITH TWO HANKS IN ASSORTED ROWS, THIS WILL ASSURE AN OVERALL BLENDED EFFECT.

FOR CARE INSTRUCTIONS FOLLOW LABEL ON THE BALL.





ABBREVIATIONS:

ST : STITCHK : KNITP : PURL

ST-ST: STOCKINETTE STITCH

REM: REMAINING
WS: WRONG SIDE
RS: RIGHT SIDE
PATT: PATTERN
BEG: BEGINNING

STITCHES

- ST ST : ROW 1 (R S) KNIT ; 2 nd ROW (W S) PURL
- 2X2 RIBBING: R S * K 2, P 2 * REPEAT FROM * TO *. 2nd AND ALL FOLLOWING ROWS, WORK STS AS THEY APPEAR.
- PICOT ST (SEE CROCHET HOOK SYMBOLS).

TENSION:

- IN ST- ST, WITH SIZE 8 NEEDLES:
- 14 STS. AND 24 ROWS = 4 X 4"

DIRECTIONS :

BACK:

CAST ON 74 STS, WORK 2 3/4" IN 2X2 RIBBING AND CHANGE TO ST-ST. WHEN BACK MEASURES 4 " DECREASE AT EACH (RS) EDGE, EVERY 4 ROWS 8 TIMES 1 ST (= 58 STS). WHEN BACK MEASURES 12 5/8" INCREASE AT EACH EDGE EVERY 4 ROWS, 5 TIMES 1 ST (= 68 STS).

ARMHOLE: WHEN BACK MEASURES 18 2/4", CAST OFF AT BEG OF EVERY ROW, 1 TIME 4 STS, 4 TIMES 1 ST (= 52 STS). WHEN BACK MEASURES 26 " CAST OFF ALL STS.

LEFT FRONT:

CAST ON 48 STS, WORK 2 3/4" IN 2X2 RIBBING

AT BEG OF NEXT RS ROW K1 , P1 AND CONTINUE WORKING IN ST-ST. WHEN FRONT MEASURES 4" DECREASE AT RIGHT EDGE , EVERY 4 ROWS, 8 TIMES 1 ST (= 40 STS). WHEN FRONT MEASURES 12 5/8, INCREASE (RS) AT RIGHT EDGE , EVERY 4 ROWS, 5 TIMES 1 ST (= 45 STS).

ARMHOLE: WHEN FRONT MEASURES 18 2/4 " CAST OFF AT RIGHT EDGE, AT BEG OF EACH RIGHT SIDE ROW, 1 TIME 4 STS, 4 TIMES 1 ST, 1 TIME 1 ST (= 36 STS).

NECKLINE: WHEN WORK MEASURES 24" CAST OFF AT NECK EDGE, AT BEG OF RS ROW, 1 TIME 8 STS, 1 TIME 5 STS, 1 TIME 5 STS, (= 20 STS) AT 26" CAST OFF ALL STS.

RIGHT FRONT:

WORK SAME AS LEFT FRONT REVERSING ALL SHAPING.

SLEEVES:

CAST ON 36 STS , WORK 2 3/4" IN 2X2 RIBBING AND CHANGE TO ST-ST. CAST OFF AT EACH EDGE, EVERY 4 ROWS, 2 TIMES 1 ST. THEN, IN NEXT RS ROW, INCREASE AT EACH EDGE, EVERY 14 ROWS , 8 TIMES 1 ST (= 44 STS).

ARMHOLE: WHEN SLEEVE MEASURES 21 5/8", CAST OFF AT BEG OF EACH EDGE, 1 TIME 4 STS, 4 TIMES 1 ST (= 28 ST). WORK 4" AND CAST OFF AT BEG OF EACH ROW, 12 TIMES 1 ST (= 16 STS). WHEN SLEEVE MEASURES 28 3/8", CAST OFF. WORK OTHER SLEEVE IN THE SAME WAY.

BELT:

WITH CROCHET HOOK, WORK 180 $\,$ CM (71") IN CHAIN $\,$ ST

2 ND ROW: WORK IN SC ST

3 RD ROW : WORK 3 CH PICOT ST, EVERY 3 SC ST.

POCKETS:

CAST ON 26 STS, WORK 2 3/4" IN 2X2 RIBBING ST AND CHANGE TO ST-ST. WHEN POCKET MEASURES 5 2/4", DECREASE AT EACH EDGE, 4 TIMES 1 ST. CAST OFF THE 18 REM STS.

WORK OTHER POCKET IN THE SAME WAY.

FINISHING:

SEW SHOULDER SEAMS USING 10 STS FROM EACH FRONT.

HOOD: AT RS, PICK UP 130 STS FROM RIGHT FRONT NECKLINE, BACK AND LEFT FRONT NECKLINE.

1 ST ROW: K1, P1, K126, P1, K1


2 ND ROW: P1, K1, P126, P1, K1.


REPEAT THESE 2 ROWS UNTIL PIECE MEASURES 13 3/8 ", CAST OFF ALL STS. FOLD HOOD IN HALF AND SEW SEAMS.


SEW SIDE AND SLEEVE SEAMS.

SEW POCKETS TO FRONTS, PLACING EACH POCKET AT 4 2/8" FROM LOWER EDGE AND 2 3/4" FROM SIDE SEAM.


EDGING: WITH CROCHET HOOK WORK IN PICOT ST, AROUND ALL RIGHT FRONT EDGE, HOOD AND LEFT FRONT EDGE.







M'LADY'S GLOVES





MATERIALS: MATAQUITO 100 GRS., COLOR 03

1 PAIR US 8 / 5 MM KNITTING NEEEDLES

CROCHET HOOK H/8 (US)/5 MM

ONE CABLE NEEDLE

IMPORTANT

AS THERE ARE NO DYE LOTS, WE RECOMMEND BUYING ENOUGH YARN AT ONE TIME TO COMPLETE EACH PROYECT.

PLEASE NOTE THAT DUE TO HAND DYING, HANKS ARE NEVER THE SAME, KNITT WITH TWO HANKS IN ASSORTED ROWS, THIS WILL ASSURE AN OVERALL BLENDED EFFECT.

FOR CARE INSTRUCTIONS FOLLOW LABEL ON THE BALL





ABBREVIATIONS

ST : STITCHK : KNITP : PURL

ST-ST: STOCKINETTE STITCH

REM : REMAININGWS : WRONG SIDERS : RIGHT SIDEPATT : PATTERNBEG : BEGINNING

STITCHES:

- 1X1 RIBBING: R S*K1, P 1* REPEAT FROM * TO *.2nd AND ALL FOLLOWING ROWS, WORK STS AS THEY APPEAR.
- CABLE PATTERN, SEE GRAPH #1
- PICOT ST., SEE GRAPH # 2 (SEE CROCHET HOOK SYMBOLS).

TENSION:

IN 1X1 RIBBING , WITH SIZE 8 NEEDLES: 18 STS AND 24 ROWS = 4 X 4''

DIRECTIONS :

CAST ON 40 STS , WORK FIRST ROW AS FOLOWS : 17 ST IN 1X1 RIBBING, 6 ST IN CABLE ST (SEE GRAPH # 1) AND 17 ST IN 1X1 RIBBING.

NEXT ROWS WORK STS AS THEY APPEAR.

WHEN WORK MEASURES 2 3/4", DECREASE AT EACH EDGE, EVERY 20 ROWS, 2 TIMES 1 ST (=36 STS). WORK 20 ROWS AND INCREASE AT EACH EDGE IN EVERY ROW, 3 TIMES 1 ST (= 42 ST).

WHEN WORK MEASURES 9 1/2 " MAKE OPENING FOR FINGER: 1 st ROW, (RS): WORK 10 ST, CAST OFF 4 ST, WORK 28 REM STS IN ROW. 2 nd ROW (WS): WORK 28 ST, CAST ON 4 ST, WORK 10 REM STS IN ROW (= 42 STS).


WHEN WORK MEASURES 10 1/4" CAST OFF ALL STS. WORK OTHER ARM WARMER IN THE SAME WAY.


FINISHING

FOLD EACH ARM WARMER IN HALF AND SEW EDGES.

 $\mbox{EDGING}\colon$ WITH CROCHET HOOK, WORK IN EDGING ST (SEE GRAPH # 2) AROUND BOTH EDGES. WORK OTHER ARM WARMER IN THE SAME WAY.

GRAPH # 1





GRAPH#2















MIDSUMMER'S EVE PURSE







SIZE : ALL

CROCHET HOOK H/8 (US)/5 MM

GLASS BEADS

IMPORTANT

AS THERE ARE NO DYE LOTS, WE RECOMMEND BUYING ENOUGH YARN AT ONE TIME TO COMPLETE EACH PROYECT.

PLEASE NOTE THAT DUE TO HAND DYING, HANKS ARE NEVER THE SAME, KNITT WITH TWO HANKS IN ASSORTED ROWS, THIS WILL ASSURE AN OVERALL BLENDED EFFECT.

FOR CARE INSTRUCTIONS FOLLOW LABEL ON THE BALL

ABBREVIATIONS:

ST : STITCHK : KNITP : PURL

• ST-ST: STOCKINETTE STITCH

REM: REMAININGWS: WRONG SIDERS: RIGHT SIDEPATT: PATTERNBEG: BEGINNING

STITCHES

- DOUBLE CROCHET ST (SEE GRAPH # 1 9
- CROCHET EDGING (SEE GRAPH # 2)
- FLOWER (SEE GRAPH # 3)

TENSION:

- IN DOUBLE CROCHET ST WITH SIZE H/8 CROCHET HOOK
- 12 STS AND 6 ROWS

DIRECTIONS:

WRAP YARN AROUND FINGER TO FORM A RING.

1 ST ROW: 1 CH ST, WORK 18 DC INTO RING.

2 ND ROW : INCREASE 1 DC BETWEEN EACH DC. (= 36 DC).

3 RD ROW : INCREASE 1 DC EVERY 3 DC (= 48 DC).

WORK EVEN UNTIL BAG MEASURES 8".

CONTINUE WORKING IN EDGING ST (SEE GRAPH # 2), FASTEN OFF.

FINISHING.

MAKE A CORD AS FOLOWS:

1 ST ROW: WORK IN CH ST UNTIL CORD MEASURES 23 1/2".

2 ND ROW: COVER EACH CH ST WITH A SLIP ST.

APPLY ONE CRISTAL BEAD AT EACH END AND MAKE A KNOT TO HOLD. INTERLACE THE CORD BETWEEN EACH TWO DC STS OF EDGING ST.


HANDLE:

CAST ON 3 STS AND WORK IN ST-ST UNTIL STRAND MEASURES 15 3/4", CAST OFF. WORK THREE STRIPS IN THE SAME WAY AND MAKE A BRAID. SEW ENDS AT EACH WRONG SIDE OF TOP EDGE OF BAG.


FLOWERS:

WORK 20 FLOWERS (SEE GRAPH # 3). APPLY GLASS BEAD AT CENTER OF EACH FLOWER. SEW TO BAG AS SHOWN IN PHOTOGRAPH.


GRAPH#1



GRAPH # 2



GRAPH#3



CROCHET HOOK SYMBOLS

- CHAIN ST (CH): YARN OVER HOOK, PULL LOOP THROUGH.
- SLIP ST (SL ST): INSERT HOOK INTO 1 ST., YARN OVER HOOK, POOL LOOP THROLIGH
- X/+ SINGLE CROCHET (SC.): INSTERT HOOK INTO 1 ST., YARN OVER HOOK, PULL LOOP THROUGH, YARN OVER AND PULL THROUGH LAST 2 STS ON HOOK.
 - DOUBLE CROCHET (DC): YARN OVER HOOK, INSERT HOOK INTO 1 ST, YARN OVER, PULL LOOP THROUGH, "YARN OVER AND PULL THROUGH 2 STS ON HOOK " REPEAT FROM " TO ".
 - PICOT ST: 3 STS IN CHAIN ST, AND END ROUND WITH 1 SLIP ST INSERTING HOOK IN THE FIRST CHAIN ST.
 - TRIPLE CROCHET (TRC): 2 YARNS OVER HOOK, INSERT HOOK INTO 1 ST, YARN OVER, PULL LOOP THROUGH, * YARN OVER AND PULL THROUGH 2 ST. ON HOOK * REPEAT FROM * TO * 3 TIMES.
 - QUADRUPLE CROCHET: 3 YARNS OVER HOOK, INSERT HOOK INTO 1 ST, YARN OVER, PULL LOOP THROUGH, * YARN OVER AND PULL THROUGH 2 ST. ON HOOK * REPEAT FROM * TO * 4 TIMES.
- SHELL ST.: WORK SEVERAL STS. (SC, DC, TRC, ETC.,) IN THE SAME BASE STIICH.

CRAB ST: WORK SC, MOVING FROM LEFT TO RIGHT.

POPCORN ST (POP): (FROM 2 TO 6 STS) WORK 5 DC IN SAME ST, DROP LOOP FROM HOOK, INSERT HOOK IN TOP OF FIRST DC, PICK UP DROPPED LOOP, AND DRAW THROUGH ST, CHAIN 1 TIGHTLY TO SECURE (POP MADE).

NEEDLES SYMBOLS

K1 : KNIT ONE ST

₱1: PURL ONE ST

∠ **K2 TOG**: KNIT 2 STS TOGETHER

K1,SL1, PSSO: KNIT ONE, SLIP ONE, PASS SLIPPED STITCH OVER

O YO: YARN OVER NEEDLE

R: REPEAT

CABLE 6 ST TO RIGHT: PLACE 3 STS. ON CABLE NEEDLE AT BACK, K3, THEN K 3 STS FROM CABLE NEEDLE.



A 1004

